



Motormomente /  
Transmittable Engine Torque

Bestell-Nr./ Reference-No.	max. übertragbares Motormoment organischer Belag/ max.transmittable engine torque organic facings		max. übertragbares Motormoment Sinterbelag/ max.transmittable engine torque sintered plate		solange Vorrat reicht/ while stocks last
	Nr	Nm	lb/ft	Nm	
883082 999523	240	178	350	259	
883082 999572	200	148	300	222	
883082 999591	240	178	350	259	
883082 999594	500	370	740	548	
883082 999598	180	133	270	200	
883082 999610	220	163	325	241	
883082 999616	290	215	430	318	
883082 999618	445	329	655	485	
883082 999626	235	174	345	255	
883082 999645	430	318	635	470	
883082 999666	210	155	315	233	
883082 999668	295	218	435	322	
883082 999680	180	133	260	192	
883082 999695	405	300	600	444	
883082 999698	515	381	775	574	
883082 999702	290	215	425	315	
883082 999707	515	381	775	574	
883082 999710	365	270	540	400	
883082 999712	475	352	705	522	
883082 999715	450	333	665	492	
883082 999716	365	270	540	400	
883082 999720	480	355	715	529	
883082 999724	515	381	775	574	
883082 999731	365	270	540	400	
883082 999735	230	170	340	252	
883082 999736	545	403	800	592	
883082 999737	360	266	535	396	
883082 999739	290	215	430	318	
883082 999741	255	189	375	278	
883082 999745	365	270	540	400	
883082 999746	455	337	675	500	
883082 999747	325	241	485	359	
883082 999754	530	392	785	581	
883082 999755	155	115	230	170	
883082 999758	265	196	390	289	
883082 999760	480	355	715	529	
883082 999763	425	315	625	463	



Motormomente /  
Transmittable Engine Torque

Bestell-Nr./ Reference-No.	max. übertragbares Motormoment organischer Belag/ max.transmittable engine torque organic facings		max. übertragbares Motormoment Sinterbelag/ max.transmittable engine torque sintered plate		solange Vorrat reicht/ while stocks last
	Nr	Nm	lb/ft	Nm	
883082 999764	865	640	1300	962	
883082 999765	600	444	905	670	
883082 999766	290	215	430	318	
883082 999767	325	241	485	359	
883082 999768	510	377	755	559	
883082 999770	470	348	695	514	
883082 999771	295	218	435	322	
883082 999773	445	329	660	488	
883082 999775	515	381	760	562	
883082 999777	610	451	900	666	
883082 999778	320	237	480	355	
883082 999780	290	215	430	318	
883082 999781	465	344	700	518	
883082 999782	480	355	715	529	
883082 999783	385	285	570	422	
883082 999785	540	400	800	592	
883082 999786	460	340	690	511	
883082 999789	510	377	765	566	
883082 999792	475	352	710	525	
883082 999793	565	418	835	618	
883082 999794	375	278	560	414	
883082 999798	540	400	805	596	
883082 000826	540	400	805	596	
883082 000827	500	370	765	566	
883082 000884	535	396	790	585	
883082 000980	265	196	395	292	
883082 001005	375	278	555	411	
883082 001115	480	355	700	518	
883082 001126	270	200	400	296	
883082 001243	530	392	790	585	
883082 001267	315	233	470	348	
883082 001394	540	400	805	596	
883082 001422	540	400	805	596	
883082 001423	525	389	790	585	
883082 001424	540	400	805	596	
883082 001455	245	181	355	263	
883082 001457	575	426	865	640	



Motormomente /  
Transmittable Engine Torque

Bestell-Nr./ Reference-No.	max. übertragbares Motormoment organischer Belag/ max.transmittable engine torque organic facings		max. übertragbares Motormoment Sinterbelag/ max.transmittable engine torque sintered plate		solange Vorrat reicht/ while stocks last
	Nr	Nm	lb/ft	Nm	
883082 001487	885	655	1300	962	
883082 001573	285	211	420	311	
883082 001783	510	377	755	559	
883082 001828	355	263	530	392	
883082 001851	530	392	790	585	
883082 001872	540	400	810	599	
883082 001939	490	363	735	544	
883082 001957	525	389	785	581	
883082 002272	250	185	370	274	
883082 002352	525	389	785	581	
883082 002362	215	159	320	237	
883082 002398	515	381	770	570	
883082 002428	490	363	730	540	
883082 002548	275	204	395	292	
883082 002549	315	233	460	340	
883082 002598	480	355	730	540	
883082 002700	520	385	780	577	
883082 002829	455	337	690	511	
883083 999574	680	503	1000	740	